

INCLINATING BAFFLES



100%
INSPECTABLE
ISPEZIONABILE



OPTIONAL
ACOUSTIC TISSUE
TESSUTO ACUSTICO




COLOURS
FINITURE




PERFORATIONS
FORATURE



ANTI-RELEASE
SYSTEM



baffle



type & thk
tipo e spessore

pre painted aluminium
alluminio preverniciato
0.5 > 0.7 mm

powder coated aluminium
alluminio postverniciato
0.5 > 0.7 mm · max L 3000

pre painted galvanized steel
acciaio zincato preverniciato
0.5 > 0.6 mm

powder coated steel
acciaio postverniciato
0.4 > 0.6 mm · max L 3000

dimensions
dimensioni

L 4000 mm max
special lenght
on request
dimensioni speciali
a richiesta

structure



code codice	description descrizione	type & thk tipo e spessore	colours colore	dimensions dimensioni	
P 27/50/I	main runner for inclining baffles profilo portante per baffles inclinati variable pitch passo variabile	steel acciaio 0.6 mm	black pre painted two-sided nero preverniciato bifacciale	27 x 50 mm L 4000 mm	10 pcs
CGL 27/50	linear joint for P 27/50 giunto lineare per P 27/50 steel · acciaio 0.5 mm 100 pcs	ESB 02/40	suspension adapter for strip elemento di sospensione per doga	CAM 50 SF6	suspension adapter for existing ceiling or structure elemento di sospensione per solaio o struttura esistenti

packaging: sheaf · imballo reggettato

- ① strip doga ② primary profile profilo primario ③ linear joint giunto lineare ④ suspension adapter elemento di sospensione ⑤ suspension adapter elemento di sospensione ⑥ linear joint giunto lineare ⑦ closing caps tappo di chiusura

INCLINATING BAFFLES

other dimensions or pitches available on request altre dimensioni o passi disponibili a richiesta



- 25 •
- 30 •
- 40 •
- 50 •

base 25 mm › L 4000 mm max

code codice	dimensions dimensioni	linear joint giunto lineare	closing caps chiusura terminale
ST025A1	25 x 60 mm	GL 60/25	TAP 60/25
ST025A2	25 x 80 mm	GL 80/25	TAP 80/25
ST025A3	25 x 100 mm	GL 100/25	TAP 100/25
ST025A4	25 x 120 mm	GL 120/25	TAP 120/25
ST025A5	25 x 150 mm	GL 150/25	TAP 150/25
ST025A6	25 x 200 mm	GL 200/25	TAP 200/25

base 30 mm › L 4000 mm max

code codice	dimensions dimensioni	linear joint giunto lineare	closing caps chiusura terminale
ST030A1	30 x 60 mm	GL 60/30	TAP 60/30
ST030A2	30 x 80 mm	GL 80/30	TAP 80/30
ST030A3	30 x 100 mm	GL 100/30	TAP 100/30
ST030A4	30 x 120 mm	GL 120/30	TAP 120/30
ST030A5	30 x 150 mm	GL 150/30	TAP 150/30
ST030A6	30 x 200 mm	GL 200/30	TAP 200/30
ST030A7	30 x 250 mm	GL 250/30	TAP 250/30
ST030A8	30 x 300 mm	GL 300/30	TAP 300/30

base 40 mm › L 4000 mm max


code codice	dimensions dimensioni	linear joint giunto lineare	closing caps chiusura terminale
ST040A1	40 x 100 mm	GL 100/40	TAP 100/40
ST040A2	40 x 150 mm	GL 150/40	TAP 150/40
ST040A3	40 x 200 mm	GL 200/40	TAP 200/40
ST040A4	40 x 250 mm	GL 250/40	TAP 250/40
ST040A5	40 x 300 mm	GL 300/40	TAP 300/40

base 50 mm › L 4000 mm max


code codice	dimensions dimensioni	linear joint giunto lineare	closing caps chiusura terminale
ST050A1	50 x 100 mm	GL 100/50	TAP 100/50
ST050A2	50 x 150 mm	GL 150/50	TAP 150/50
ST050A3	50 x 200 mm	GL 200/50	TAP 200/50
ST050A4	50 x 250 mm	GL 250/50	TAP 250/50
ST050A5	50 x 300 mm	GL 300/50	TAP 300/50

COLOURS *COLORI*

PREPAINTED STEEL *ACCIAIO PREVERNICIATO*



RAL 9005 • black




CBI Europe white




RAL 9006 • silver

PREPAINTED ALUMINIUM *ALLUMINIO PREVERNICIATO*



RAL 9005 • black




CBI Europe white



RAL 7016 • anthracite grey



RAL 9006 • silver



RAL 7024 • graphite grey



RAL 7005 • mouse grey



RAL 7035 • light grey



RAL 7001 • silver grey




RAL 1015 • light ivory



RAL 1001 • beige

POWDER COATING

POSTPAINTED STEEL / ALUMINIUM *ACCIAIO / ALLUMINIO POSTVERNICIATO*



ALL RAL COLOURS • *tutti i colori RAL*

The range of colours shown on this page is purely indicative, and we recommended that you request the samples. For other colours, please ask about the availability


in stock. For further details, refer to the bundle of RAL colours and CBI's exclusive colours bundle, or contact the technical department at CBI Europe.

COLOURS *COLORI*

PREPAINTED STEEL *ACCIAIO PREVERNICIATO* · WOOD COLLECTION




SL57 · whitened oak



SL56 · cherry tree




SL252 · winchester




SL02 · light oak



6869 · farm maple



SL28 · teak



SL39 · dark oak

La cartella colori riportata in questa pagina è puramente indicativa, si raccomanda la richiesta di campionatura. Per altri colori chiedere la disponibilità in

magazzino. Per qualsiasi dettaglio, fare riferimento alla mazzetta colori RAL e la mazzetta colori esclusivi CBI, o contattare l'ufficio tecnico CBI Europe.


BAFFLES *BAFFLES* PERFORATIONS *FORATURE*

- › available on request special perforations · disponibili a richiesta forature speciali
- › laser perforations optional · forature laser su disegno

MICRO PERFORATION *MICRO FORATURE*


H - AP0/1

Ø 0.7 mm - parallel pitch · *passo parallelo* 5 mm




I - AP0/2

Ø 0.7 mm - parallel pitch · *passo parallelo* 5 mm




A

Ø 2.5 mm = 20% - parallel pitch · *passo parallelo* 5 mm




B

Ø 2.5 mm = 7% - diagonal pitch · *passo diagonale* 8.5 mm




C

Ø 2.0 mm = 6% - diagonal pitch · *passo diagonale* 8 mm




D

Ø 2.0 mm = 12% - parallel pitch · *passo parallelo* 7.5 mm




E - AP3

Ø 2.0 mm = 25% - diagonal pitch · *passo diagonale* 3.5 mm



F - AP4

Ø 2.0 mm = 12.5% - parallel pitch · *passo parallelo* 5 mm



G - APQ2

2 x 2 = 4.5% - parallel pitch · *passo diagonale* 9.5 mm

