



SQUARE EDGE LINEAR STRIPS SYSTEM



STRIP DOGA

L 9000 mm max




closed joint
scuretto chiuso

pre-painted aluminium
alluminio preverniciato
thk sp. 0.5 - 0.6 - 0.7 - 0.8 mm

pre-painted galvanized steel
acciaio zincato preverniciato
thk sp. 0.4 - 0.5 - 0.6 mm

MAIN RUNNER PROFILO PORTANTE


L 4000 mm
T200/Z



galvanized steel
acciaio zincato
thk sp. 0.6 mm

colour colore
galvanized zincato

L 4050 mm
T150/Z



steel
acciaio
thk sp. 0.6 mm

colour colore
galvanized zincato

1













strip
doga
length lunghezza
9000 mm max

2

carrier
profilo portante

3

adjustable suspension
sospensione regolabile

STRIPS / OPEN JOINT DOGHE / SCURETTO APERTO				MAIN RUNNERS _ PROFILI PORTANTI			
code _codice	type _tipo			code _codice	thickness _spessore	colour _colore	
ST100CS	strips pitch 100 mm closed joint doghe passo 100 mm scuretto chiuso	size dimensioni	incidence incidenza	T200/Z	galvanized steel 0.6 acciaio zincato 0.6	galvanized zincato	
		90x18 mm	10 ml/mq				
					length lunghezza	incidence incidenza	
					4000 mm	0.9 ml/mq	
ST150CS	strips pitch 150 mm closed joint doghe passo 150 mm scuretto chiuso	size dimensioni	incidence incidenza	T150/Z	steel 0.6 acciaio 0.6	galvanized zincato	
		140x18 mm	6.67 ml/mq				
					length lunghezza	incidence incidenza	
					4050 mm	0.9 ml/mq	
ST200CS	strips pitch 200 mm closed joint doghe passo 200 mm scuretto chiuso	size dimensioni	incidence incidenza	T200/Z	galvanized steel 0.6 acciaio zincato 0.6	galvanized zincato	
		190x18 mm	5 ml/mq				
					length lunghezza	incidence incidenza	
					4000 mm	0.9 ml/mq	
ST300CS	strips pitch 300 mm closed joint doghe passo 300 mm scuretto chiuso	size dimensioni	incidence incidenza	T200/Z	galvanized steel 0.6 acciaio zincato 0.6	galvanized zincato	
		290x18 mm	3.34 ml/mq				
					length lunghezza	incidence incidenza	
					4000 mm	0.9 ml/mq	

INDOOR LINEAR STRIPS *DOGHE LINEARI PER INTERNI* PERFORATION PANELS *FORATURE PANNELLI*


standard width *larghezza standard* < 600 mm

■ ● perforation *forature*

MICRO PERFORATION *MICRO FORATURE*


H - AP0/1

Ø 0.7 mm - parallel pitch ■ *passo parallelo* 5 mm



I - AP0/2


Ø 0.7 mm - parallel pitch ■ *passo parallelo* 5 mm



STANDARD PERFORATIONS *FORATURE STANDARD*


A

Ø 2.5 mm = 20% - parallel pitch ■ *passo parallelo* 5 mm




B

Ø 2.5 mm = 7% - diagonal pitch ■ *passo diagonale* 8.5 mm




C

Ø 2.0 mm = 6% - diagonal pitch ■ *passo diagonale* 8 mm




D

Ø 2.0 mm = 12% - parallel pitch ■ *passo parallelo* 7.5 mm




E - AP3

Ø 2.0 mm = 25% - diagonal pitch ■ *passo diagonale* 3.5 mm




F - AP4

Ø 2.0 mm = 12.5% - parallel pitch ■ *passo parallelo* 5 mm



G - APQ2


2 x 2 = 4.5% - parallel pitch ■ *passo parallelo* 9.5 mm



PERIMETRAL MOLDING


standard length 3000 mm

For special dimension perimetral moldings are available




20 X 24

CP10 aluminum 0.5/0.6 mm
A3000 steel 0.5/0.6 mm




24 X 40

CP20 aluminum 0.5/0.6 mm
A3002 steel 0.5/0.6 mm




24 X 24

CP11 aluminum 0.5/0.6 mm
A3001 steel 0.5/0.6 mm




19 X 31

CP30 aluminum 0.5/0.6 mm
A3003 steel 0.5/0.6 mm




24 X 20 X 20 X 24

CW2020 aluminum 0.5/0.6 mm
W3003 steel 0.5/0.6 mm




24 X 15 X 15 X 24

CW1515 aluminum 0.5/0.6 mm
W3004 steel 0.5/0.6 mm



20 X 12 X 12 X 24

CW1210 aluminum 0.5/0.6 mm
W3000 steel 0.5/0.6 mm




25 X 8 X 15 X 15

CW0815 aluminum 0.5/0.6 mm
W3002 steel 0.5/0.6 mm

COLOURS RANGE

STEEL / ALUMINIUM




white



RAL 9006
silver



RAL 7024
dark grey



RAL 9005
black



satin-finish aluminium

POWDER COATED



ALL RAL COLOURS


WOOD



SL57
whitened oak



SL56
cherry tree



SL252
winchester



SL02
light oak



6869
farm maple



SL28
teak



SL39
dark oak

ALUMINIUM / MAT



RAL 1015
ivory



RAL 1001
beige



RAL 1021
cadmio yellow



RAL 1007
chrome yellow



RAL 2004
orange



RAL 3002
carmine red



navy blue



RAL 5017
blue



RAL 6018
pea green




RAL 6029
mint colour



RAL 8014
brown

ALUMINIUM / BRIGHT



aisi steel
310



brass yellow
330



gold
260

The range of colours shown on this page is purely indicative, and we recommended that you request the samples. For other colours, please ask about the availability in stock.

For further details, refer to the bundle of RAL colours and CBI's exclusive colours bundle, or contact the technical department at CBI Europe.